

EAST SEARCH

05/11/2006 TM Jonna P. Meane

	Type	Hits	Search Text	DBs
1	BRS	300	712/228.ccls.	USPAT
2	BRS	177	(multithread\$3 or multi-thread\$3) near2 processor	USPAT
3	BRS	394	(multithread\$3 or multi-thread\$3) near2 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	98	vector near3 chaining	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	542	data near3 chaining	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	1	"5668815".pn.	USPAT
7	BRS	1	"5448705".pn..pn.	USPAT
8	BRS	185	712/35.ccls.	USPAT
9	BRS	161	712/35.ccls. and input and output	USPAT
10	BRS	5	712/35.ccls. and (input adj processor) and output	USPAT
11	BRS	5	712/35.ccls. and (input adj processor)	USPAT
12	BRS	1071	(input adj processor) and output adj processor	USPAT
13	BRS	1071	(input adj processor) and (output adj processor)	USPAT
14	BRS	8	(input adj processor) and (output adj processor) and (multiply adj accumulate)	USPAT
15	BRS	4	"5594679".pn. or "4916659".pn. or "5485603".pn. or "4745544".pn.	USPAT
16	BRS	1	"4881168".pn.	USPAT
17	BRS	1	"4745544".pn.	USPAT
18	BRS	420	712/227.ccls.	USPAT
19	BRS	160	712/227.ccls. and emulat\$4	USPAT
20	BRS	8	712/227.ccls. and emulat\$4 and peripheral adj device	USPAT
21	BRS	7	virtual adj peripheral adj device	USPAT

	Type	Hits	Search Text	DBs
22	BRS	20	virtual adj peripheral adj device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	(virtual adj peripheral adj device) and microcod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	1	(virtual adj peripheral) and microcod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	31	(virtual adj peripheral) and cod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	(virtual adj peripheral) and micro adj cod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	(virtual adj peripheral) and micro-cod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	1	(virtual adj peripheral) and microcod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
29	BRS	24	(virtual adj peripheral) and instructions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	36	consecutive adj register	USPAT
31	BRS	1	"5291586".pn.	USPAT
32	BRS	1	"5390307".pn.	USPAT
33	BRS	1	variable with zero adj register	USPAT
34	BRS	4	variable with zero adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	1	virtual with zero adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	0	dynamic with zero adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	2	physical adj zero adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	4	"5367651".pn. or "5524262".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	633	renner.in.	USPAT
40	BRS	1	"4745544".pn.	USPAT
41	BRS	1	"5241679".pn.	USPAT
42	BRS	452	shared with global near2 memory	USPAT
43	BRS	263	shared near2 global near2 memory	USPAT

	Type	Hits	Search Text	DBs
44	BRS	13	S104 and FPGA	USPAT
45	BRS	4435	morton.in.	USPAT
46	BRS	4	morton.in. and FPGA	USPAT
47	BRS	1	"5197140".pn.	USPAT
48	BRS	1	"5197140".pn.	USPAT